



Vespucchi 965



Vespucchi 900



Vespucchi 316



Vespucchi 500



Vespucchi 858



Vespucchi 103



Vespucci 103



Vespucci 858



Vespucci 316



Vespucci 500



Vespucci 900



Vespucci 965

<b>Product Name</b>	<b>Vespucci</b>
<b>Product Type</b>	<b>Tufting</b>
<b>Construction</b>	<b>Cut Pile</b>
<b>Size</b>	<b>400 cm</b>
<b>Yarn Type</b>	<b>100% PP Stainsafe</b>
<b>Dye Method</b>	<b>Solution Dyed</b>
<b>Gauge</b>	<b>9/64"</b>
<b>Pile Weight</b>	<b>600 g/m<sup>2</sup></b>
<b>Total Weight</b>	<b>4100 g/m<sup>2</sup></b>
<b>Pile Thickness</b>	<b>3.30 mm</b>
<b>Total Thickness</b>	<b>6.50 mm</b>
<b>Backing Foundation</b>	<b>Bithumen</b>
<b>Flammability</b>	<b>Cfl-sI</b>
<b>Smoke Density</b>	<b>-</b>
<b>Static Propensity</b>	<b>&lt; 2 kV</b>
<b>Color Fastness to Water Rubbing</b>	<b>3 - 4</b>
<b>Color Fastness to Rubbing (dry)</b>	<b>3 - 4</b>
<b>Color Fastness to Rubbing (wet)</b>	<b>3 - 4</b>
<b>Color Fastness to Light</b>	<b>5 - 6</b>